




Bearing Power Machinery Co., Ltd.



NSK 6822VV deep groove ball bearings

Bearing No. 6822VV

Size	110x140x16 mm
Bore Diameter	110 mm
Outer Diameter	140 mm
Width	16 mm
d	110 mm
D	140 mm
B	16 mm
C	16 mm
r min.	1 mm
da min.	115 mm
da max	117 mm
Da max.	135 mm
ra max.	1 mm
Weight	0,497 Kg
Basic dynamic load rating (C)	28,1 kN
Basic static load rating (C0)	32,5 kN
(Grease) Lubrication Speed	4 300 r/min
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight / Kilogram	0.6
Product Group	B00308
Enclosure	2 Seals
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling	No

6822VV Bearing 2D drawings and 3D CAD models



Bearing Power Machinery Co., Ltd.

Slot	
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Enclosure Type	Non-Contact Seal
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	110MM Bore; 140MM Outside Diameter; 16MM Outer Race Diameter; 2 Seals; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.nskamericas.com
Manufacturer Item Number	6822VV
Weight / LBS	0.489
Bore	4.331 Inch 110 Millimeter
Outside Diameter	5.512 Inch 140 Millimeter
Outer Race Width	0.63 Inch 16 Millimeter
bore diameter:	140 mm
closure type:	Double Sealed
outside diameter:	140 mm
internal clearance:	Normal Clearance
overall width:	16 mm
manufacturer upc number:	029176030345
bore type:	Round



Bearing Power Machinery Co., Ltd.

SRI	4.52
hidYobi	6822VV
LangID	1
D_	140
SREX	0.02
B_	16
da min	115
hidTable	ecat_NSRDGB
SRE	4.52
mass	0.497
GRS rpm	4300
ra	1
SRIX	0.02
D_a	135
SRIN	-0.02
C0	32.5
fo	17.1
SREN	0
DE_	133.731
Prod_Type3	DGBB_SR_VV
DA_	8.731
bomp	0
Z_	25
yobi	6822VV
C_conv	28100
ALPHA_	0
SDM_	125
r	1
KBRG	6151
SBRG	18
DI_	116.269